

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	(obtain\$3 or acquir\$3 or ge\$2 or gain\$3) same (sort\$3 or filter\$3 or sift\$3) same (performance near2 data) same too\$2 and (@ad<"20010723" or @prad<"20010723" or @rlad<"20010723")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 13:39
L2	93	(obtain\$3 or acquir\$3 or ge\$2 or gain\$3) same (sort\$3 or filter\$3 or sift\$3) same (performance near2 data) and too\$2 and (@ad<"20010723" or @prad<"20010723" or @rlad<"20010723")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 13:39
L3	3	(obtain\$3 or acquir\$3 or ge\$2 or gain\$3) same (sort\$3 or filter\$3 or sift\$3) same (performance near2 data) same (priorit\$5 or arrang\$3) and too\$2 and (@ad<"20010723" or @prad<"20010723" or @rlad<"20010723")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 13:41
L4	18	(obtain\$3 or acquir\$3 or ge\$2 or gain\$3) same (sort\$3 or filter\$3 or sift\$3) same (performance near2 data) same(priorit\$5 or priority or group\$3 or arrang\$3) and too\$2 and (@ad<"20010723" or @prad<"20010723" or @rlad<"20010723")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 13:43
L5	0	(obtain\$3 or acquir\$3 or ge\$2 or gain\$3) same (sort\$3 or filter\$3 or sift\$3) same (performance near2 data) same(priorit\$5 or priority or group\$3 or arrang\$3) and too\$2 and (GUI or UI) and (@ad<"20010723" or @prad<"20010723" or @rlad<"20010723")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 13:43
L6	1	(obtain\$3 or acquir\$3 or ge\$2 or gain\$3) same (sort\$3 or filter\$3 or sift\$3) same (performance near2 data) same(priorit\$5 or priority or group\$3 or arrang\$3) and too\$2 and (GUI or UI or ((graphical near2 user) near2 interfac\$2)) and (@ad<"20010723" or @prad<"20010723" or @rlad<"20010723")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 13:47

L7	13	(obtain\$3 or acquir\$3 or ge\$2 or gain\$3) same (sort\$3 or filter\$3 or sift\$3) same (performance near2 data) and (priorit\$5 or priority or group\$3 or arrang\$3) and too\$2 and (GUI or UI or ((graphical near2 user) near2 interfac\$2)) and (@ad<"20010723" or @prad<"20010723" or @rlad<"20010723")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 13:59
L8	0	(obtain\$3 or acquir\$3 or ge\$2 or gain\$3) same (sort\$3 or filter\$3 or sift\$3) same (performance near2 data) same (program or modul\$2 or fil\$2) and (priorit\$5 or priority or group\$3 or arrang\$3) and too\$2 and (GUI or UI or ((graphical near2 user) near2 interfac\$2)) and (@ad<"20010723" or @prad<"20010723" or @rlad<"20010723")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 14:00
L9	13	(obtain\$3 or acquir\$3 or ge\$2 or gain\$3) same (sort\$3 or filter\$3 or sift\$3) same (performance near2 data) and (priorit\$5 or priority or group\$3 or arrang\$3) and too\$2 and (GUI or UI or ((graphical near2 user) near2 interfac\$2))and (program or modul\$2 or fil\$2) and (@ad<"20010723" or @prad<"20010723" or @rlad<"20010723")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 14:10
L10	0	(obtain\$3 or acquir\$3 or ge\$2 or gain\$3) same (sort\$3 or filter\$3) same (performance near2 data) same (program or fil\$2) and too\$2 and (GUI or UI or ((graphical near2 user) near2 interfac\$2))and (program or modul\$2 or fil\$2) and (@ad<"20010723" or @prad<"20010723" or @rlad<"20010723")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 14:12
L11	1428	(obtain\$3 or acquir\$3 or ge\$2 or gain\$3) same (sort\$3 or filter\$3) same (data) and too\$2 and (GUI or UI or ((graphical near2 user) near2 interfac\$2))and (program or modul\$2 or fil\$2) and (@ad<"20010723" or @prad<"20010723" or @rlad<"20010723")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 14:14

L12	50	(obtain\$3 or acquir\$3 or ge\$2 or gain\$3) same (sort\$3 or filter\$3) same (data) same (contex\$2) and too\$2 and (GUI or UI or ((graphical near2 user) near2 interfac\$2))and (program or modul\$2 or fil\$2) and processo\$2 and (@ad<"20010723" or @prad<"20010723" or @rlad<"20010723")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 14:18
L13	12	(obtain\$3 or acquir\$3 or ge\$2 or gain\$3) same (sort\$3 or filter\$3) same (data) same (contex\$2) and too\$2 and (GUI or UI or ((graphical near2 user) near2 interfac\$2))and (program or modul\$2 or fil\$2) and (performance near2 data) and processo\$2 and (@ad<"20010723" or @prad<"20010723" or @rlad<"20010723")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 14:24
L14	7	(obtain\$3 or acquir\$3 or ge\$2 or gain\$3) same (performance near2 data) same (sort\$3 or filter\$3) and too\$2 and (GUI or UI or ((graphical near2 user) near2 interfac\$2)) and (program or modul\$2 or fil\$2) and processo\$2 and (@ad<"20010723" or @prad<"20010723" or @rlad<"20010723")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 14:29
L15	2	(obtain\$3 or acquir\$3 or ge\$2 or gain\$3) same (performance near2 data) same (syste\$2) same (sort\$3 or filter\$3) and too\$2 and (GUI or UI or ((graphical near2 user) near2 interfac\$2)) and processo\$2 and (@ad<"20010723" or @prad<"20010723" or @rlad<"20010723")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 14:32